



XM1 SUPPRESSED PCP AIRGUN COMBO - REALTREE EDGE .22 CAL, 1000 FPS (Includes 4 x 32 mm scope)







The XM1 air rifle demonstrates Stoeger's commitment to innovation and cutting-edge technology. It offers superior performance and accuracy with futuristic style. Engineered with exceptional ergonomics, the XM1's weight, balance and sleek profile team with interchangeable cheekpieces and pistol grips and an integrated suppressor to deliver unparalleled shooting comfort. The onboard air reservoir allows multiple shots to be made at consistent velocities between air charges – no pumping between shots. The XM1 comes with fully-adjustable fiber-optic sights and combo versions include a 4 x 32 mm scope.

XM1 AIRGUN STANDARD FEATURES

VELOCITY: .177 Cal. up to 1200 fps muzzle velocity with alloy pellets .22 Cal. up to 1000 fps muzzle velocity with alloy pellets

ACTION: Pre-charged pneumatic

TRIGGER: Two-stage, adjustable length of pull

SAFETY: Cross-bolt

FINISH: Realtree® Edge™ Black synthetic


PROADAPTIVE CHECKERING

MULTI-GRIP SYSTEM: Interchangeable pistol grip pieces for custom fit FRONT SIGHT: Interchangeable red and orange fiber-optic inserts REAR SIGHT: Fiber-optic, fully adjustable for elevation and windage SCOPE: Includes 4 x 32 mm scope (Combos ONLY; scope not factory mounted)

FPS = FEET PER SECOND

SPECIFICATIONS AND PRICES SUBJECT TO CHANGE WITHOUT NOTICE.






- A. Interchangeable cheekpieces aid in tailoring the fit of the XM1 to individual shooters.
- B. Colored recoil-pad spacers adjust length of pull and customize the fit of the air rifle.
- **C.** Pistol-grip pieces are interchangeable for a custom fit by adding or reducing palm swell.

XM1 AIRGUN

ITEM Number	DESCRIPTION	MSRP
	XM1 SUPPRESSED AIRGUN .22 CAL, UP TO 1000 FPS*	
30341	Black Synthetic Combo with 4 x 32 Scope	\$229
30342	Realtree Edge Combo with 4 x 32 Scope	\$249
	XM1 SUPPRESSED AIRGUN .177 CAL, UP TO 1200 FPS*	
30319	Black Synthetic Combo with 4 x 32 Scope	\$229
	XM1 AIRGUN .177 CAL, UP TO 1200 FPS*	
30318	Black Synthetic with Fiber-Optic Sights	\$199
<u>≅</u> XI	M1 SUPPRESSED AIRGUN .22 CAL. & HAND PUMP COMBO)
30409	Black Synthetic Combo with 4 x 32 Scope & Hand Pump	\$299
₹ XN	11 SUPPRESSED AIRGUN .177 CAL. & HAND PUMP COMBO)
30408	Black Synthetic Combo with 4 x 32 Scope & Hand Pump	\$299

COMMON SPECIFICATIONS: Caliber: .177 *Velocity: up to 1200 fps with alloy pellet (1000 fps with lead pellet) Caliber: .22 *Velocity: up to 1000 fps with alloy pellet (800 fps with lead pellet) Trigger: Two-stage adjustable Type of Scope: combos include 4 x 32 Scope



Baffles



Decompression

Chamber



Compensator

Baffles Lock

Full Baffle for

Chamber Separation

The left-side Picatinny rail extension contains locking magnets to offer storage for up to three additional rotary magazines (extra magazines not included).

The XM1's removable air gauge cover offers a quick way to check remaining air pressure in the air rifle (cover not included on non-suppressed models).




















Interchangeable cheek pieces team with colored recoil-pad spacers to customize the XM1's fit to individual shooters for optimal shooting comfort.



in airgun innovation. Its groundbreaking bullpup configuration combined with an integrated suppressor, virtually no recoil and Olympic-grade accuracy (using premium pellets) delivers a whole new level of compact handling, maneuverability and performance. Adjustment features include recoil pad spacers, cheek pieces and grips to ensure a custom fit, and advanced ergonomics provide optimal shooting comfort. A two-stage, adjustable trigger enhances accuracy. Picatinny rails on the top and side for optics and lights. Step into the future of airguns with the XM1 Bullshark from Stoeger.

XM1 BULLSHARK AIRGUN STANDARD FEATURES

VELOCITY: .177 Cal. up to 1200 fps muzzle velocity with alloy pellets / 970 fps with lead pellets .22 Cal. up to 1100 fps muzzle velocity with alloy pellets / 910 fps with lead pellets .25 Cal. up to 1000 fps muzzle velocity with alloy pellets / 830 fps with lead pellets

ACTION: Pre-charged pneumatic TRIGGER: Two-stage adjustable SAFETY: Manual cross-bolt FINISH: Black synthetic

PROADAPTIVE CHECKERING

MULTI-GRIP SYSTEM: Interchangeable pistol grip pieces for custom fit

XM1 BULLSHARK AIRGUN

ITEM Number	DESCRIPTION	MSRP
XM1 BU	LLSHARK SUPPRESSED AIRGUN .25 CAL, UP TO 1000	FPS*
30438	Black Synthetic Stock with Multi Grip System & Buttstock Spacers	\$479
XM1 BU	ILLSHARK SUPPRESSED AIRGUN .22 CAL, UP TO 1100 I	FPS*
30437	Black Synthetic Stock with Multi Grip System & Buttstock Spacers	\$479
XM1 BU	LLSHARK SUPPRESSED AIRGUN .177 CAL, UP TO 1200	FPS*
30436	Black Synthetic Stock with Multi Grip System & Buttstock Spacers	\$479

COMMON SPECIFICATIONS: Caliber: .177 *Velocity: up to 1200 fps with alloy pellet (970 fps with lead pellet) Caliber: .22 *Velocity: up to 1100 fps with alloy pellet (910 fps with lead pellet) Caliber: .25 *Velocity: up to 1000 fps with alloy pellet (830 fps with lead pellet) Trigger: Two-stage adjustable

FPS = FEET PER SECOND

SPECIFICATIONS AND PRICES SUBJECT TO CHANGE WITHOUT NOTICE.





A. Each Bullshark comes with two rotary magazines and is available in .177, .22, and 25 caliber.

B. Interchangeable pistol-grips enhance the fit by adding or reducing palm swell.


C. Attach military-style front vertical grip for added control and maneuverability, or use the flush-mounting plate as desired.





XM1

200cc Air Volume Tank



RANGER









XM1 RANGER PCP AIRGUN

.22 CAL, 1000 FPS, .25 CAL, 900 FPS



Hi-Capacity







Taking Stoeger's innovative XM1 full-size airgun platform to more compact dimensions, the all-new XM1 Ranger and XM1 Scout models satisfy the go-light, go-fast criteria of today's hunting airgun enthusiasts. Boasting a shorter overall length than the original XM1, the XM1 Ranger (43.2-inch OAL) and the XM1 Scout (37.7-inch OAL) sacrifice nothing in terms of ergonomics and performance. With their fullyadjustable stock system (LOP, cheek riser height, grip) and trigger pull weight, these PCP airguns ensure a custom fit for shooters of all sizes as well as for seasonal changes in clothing. Powered by a 200cc tank, capable of up to 1,000 fps*, and boasting a high-capacity rotary magazine for fast, reliable chambering, the XM1 Ranger and XM1 Scout cause steel targets, pests, and small game to shudder!

XM1 SCOUT AIRGUN STANDARD FEATURES

ACTION: Straight Pull

TRIGGER: Three lever - Adjustable from 0.6 to 0.35 Kg

SAFETY: Manual on trigger FINISH: Black synthetic

MULTI-GRIP SYSTEM: Interchangeable pistol grip pieces for custom fit

FPS = FEET PER SECOND

SPECIFICATIONS AND PRICES SUBJECT TO CHANGE WITHOUT NOTICE.

StoegerIndustries.com

Interchangeable cheek pieces team with recoil-pad spacers to customize the XM1's fit to individual shooters for optimal shooting comfort.



XM1 SCOUT / RANGER AIRGUN

ITEM Number	DESCRIPTION	MSRP
	XM1 SCOUT AIRGUN .25 CAL, UP TO 800 FPS*	
30462	Black Synthetic Stock with Multi Grip System & Buttstock Spacers	\$329
	XM1 SCOUT AIRGUN .22 CAL, UP TO 900 FPS*	
30461	Black Synthetic Stock with Multi Grip System & Buttstock Spacers	\$329
	XM1 RANGER AIRGUN .25 CAL, UP TO 900 FPS*	
30464	Black Synthetic Stock with Multi Grip System & Buttstock Spacers	\$349
	XM1 RANGER AIRGUN .22 CAL, UP TO 1000 FPS*	
30463	Black Synthetic Stock with Multi Grip System & Buttstock Spacers	\$349

COMMON SPECIFICATIONS: Caliber: .22 Scout: up to 900 fps with allow pellet: Caliber: .25 Scout: up to 800 fps with alloy pellet **Caliber**: .25 Rout: up to 800 fps with alloy pellet **Caliber**: .22 Ranger: up to 1000 fps with alloy pellet; **Caliber**: .25 Ranger: up to 900 fps with alloy pellet Trigger: Two-stage adjustable







A. Each airgun comes with two rotary magazines and is available in .22, and 25 caliber.

B. Interchangeable pistol-grips enhance the fit

by adding or reducing palm swell.

C. Three picatinny rail segments

S4000-E

Superior Performance





\$4000-E SUPPRESSED AIRGUN COMBO – REALTREE EDGE .177 CAL, 1200 FPS & .22 CAL, 1000 FPS (Includes $4 \times 32 \text{ mm}$ scope)

(IIICiudes 4 x 32 IIIIII scop

ional Pest Control Sma

Stoeger introduces the next generation of airgun technology in its fast-shooting, hard-hitting, yet quiet S4000-E. It comes with multiple features to customize the fit and feel, including MGS and ProAdaptive Checkering technologies. The integrated S3 suppressor dramatically reduces shot noise. A recoil-absorbing buttpad makes shooting a joy. Other features include an ambidextrous safety, adjustable two-stage trigger, and interchangeable fiber-optic bars for the front sight. The rifled barrel teams with the included scope to deliver impressive accuracy shot after shot. Step into the future of airguns with S4000-E.





Multi-Grip System lets shooters adapt their air rifle for personalized style and shooting comfort. Choose between an embossed grip or Stoeger's innovative ProAdaptive Checkering.







ProAdaptive Checkering is the most versatile, efficient and innovative stock checkering available. It allows shooters to feel like the airgun is a natural extension of their bodies, resulting in quick, instinctive aiming and enhanced shooting comfort. The unique checkering progression actively and comfortably "fits" the gun to the shooter in any weather or shooting venue.

S4000-E AIRGUN STANDARD FEATURES

VELOCITY: .177 Cal. up to 1200 fps muzzle velocity with alloy pellets (1000 fps with lead pellets), .22 Cal. up to 1000 fps muzzle velocity with alloy pellets (800 fps with lead pellets) ACTION: Powerful break-action Gas Ram piston

TRIGGER: Two-stage adjustable

SAFETY: Automatic ambidextrous

FINISHES: Realtree® Edge™ OD Green, Hardwood, Black synthetic

PROADAPTIVE CHECKERING

MULTI-GRIP SYSTEM: Interchangeable blue and orange embossed grips included (not available on hardwood model)

FRONT SIGHT: Interchangeable red and orange fiber-optic inserts
REAR SIGHT: Fiber-optic, fully adjustable for elevation and windage
SCOPE: Includes 4 x 32 mm scope (Combos ONLY; scope not factory mounted)

FPS = FEET PER SECOND

SPECIFICATIONS AND PRICES SUBJECT TO CHANGE WITHOUT NOTICE.

S4000-E SUPPRESSED AIRGUN

ITEM Number	DESCRIPTION	MSRP
	S4000-E .177 CAL, UP TO 1200 FPS*	
30401	Realtree Edge Stock Combo with 4 x 32 Scope	\$199
30361	Hardwood Stock Combo with 4 x 32 Scope	\$199
30313	Black Synthetic Stock Combo with 4 x 32 Scope	\$179
30312	Black Synthetic Stock with Fiber-Optic Sights	\$149
	S4000-E .22 CAL, UP TO 1000 FPS*	
30399	Realtree Edge Stock Combo with 4 x 32 Scope	\$199
30360	OD Green Stock Combo with 4 x 32 Scope	\$199
30314	Black Synthetic Stock Combo with 4 x 32 Scope	\$179
30315	Black Synthetic Stock with Fiber-Optic Sights	\$149

COMMON SPECIFICATIONS: Caliber: .177 *Velocity: up to 1200 fps with alloy pellet (1000 fps with lead pellet) Caliber: .22 *Velocity: up to 1000 fps with alloy pellet (800 fps with lead pellet) Trigger: Two-stage adjustable Type of Scope: combos include 4 x 32 Scope

















73



Fixed Barrel with Underlever Cocking

















Multi-Grip System lets shooters adapt their air rifle for personalized style and shooting comfort. Choose between an embossed grip or Stoeger's innovative ProAdaptive Checkering.

S6000-E UNDERLEVER AIRGUN COMBO - BLACK SYNTHETIC



.177 CAL, 1200 FPS & .22 CAL, 1000 FPS

(Includes 4 x 32 mm scope)







As any airgun diehard will tell you, underlevers offer a number of substantial advantages over break-barrels. These advantages are perfectly embodied in the Stoeger S6000-E airgun. First, this design offers perfect rigidity between the barrel and the receiver, which affects accuracy positively. Then, there is considerably less wear to the airgun's most important part—where the barrel meets the receiver and at the hinge-pin. Also, the extra weight of the cocking lever is ideally placed under the barrel, making the rifle steadier in your hands when you shoot. Try the S6000-E yourself—it will make you a fan.



The S6000-E has a fixed barrel, which means that every shot is mechanically consistent with the next one. The underlever is long, requiring less effort to operate it. When not in use, the underlever locks positively under the barrel and adds balance to the rifle.



S6000-E UNDERLEVER AIRGUN COMBO - HARDWOOD .177 CAL, 1200 FPS & .22 CAL, 1000 FPS

(Includes 4 x 32 mm scope)

S6000-E UNDERLEVER AIRGUN STANDARD FEATURES

VELOCITY: .177 Cal. up to 1200 fps muzzle velocity with alloy pellets (1000 fps with lead pellets), .22 Cal. up to 1000 fps muzzle velocity with alloy pellets (800 fps with lead pellets) ACTION: Powerful spring piston, Underlever cocking

TRIGGER: Two-stage adjustable

SAFETY: Automatic ambidextrous

FINISHES: Hardwood, Black synthetic

PROADAPTIVE CHECKERING

MULTI-GRIP SYSTEM: Interchangeable blue and orange embossed grips included (not available on hardwood model)

FRONT SIGHT: Hooded front sight with red fiber-optic insert **REAR SIGHT:** Fiber-optic, fully adjustable for elevation and windage

SCOPE: Includes 4 x 32 mm scope

S6000-E UNDERLEVER AIRGUN

ITEM Number	DESCRIPTION	MSRP
	S6000-E .177 CAL, UP TO 1200 FPS*	
30404	Black Synthetic Stock Combo with 4 x 32 Scope	\$199
30402	Hardwood Stock Combo with 4 x 32 Scope	\$229
	S6000-E .22 CAL, UP TO 1000 FPS*	
30406	Black Synthetic Stock Combo with 4 x 32 Scope	\$199
30403	Hardwood Stock Combo with 4 x 32 Scope	\$229

COMMON SPECIFICATIONS: Caliber: .177 *Velocity: up to 1200 fps with alloy pellet (1000 fps with lead pellet) Caliber: .22 *Velocity: up to 1000 fps with alloy pellet (800 fps with lead pellet) Trigger: Two-stage adjustable Type of Scope: combos include 3-9 x 40 Scope

FPS = FEET PER SECOND

SPECIFICATIONS AND PRICES SUBJECT TO CHANGE WITHOUT NOTICE.







The single-shot flip-up magazine is easily accessible and a snap to load. It is located just behind the fully-adjustable target rear sight.

S8000-E TAC

Piston-Driven Perfection














TECHNOLOGY







Stoeger's Multi-Grip System lets shooters adapt their air rifle for personalized style and shooting comfort. Choose between an embossed grip or the innovative ProAdaptive Checkering.



The S8000-E TAC's Gas-Ram system

has been thoroughly tried and tested for toughness and durability, and was chosen for its long-lasting reliability and ballistic precision. Accuracy is enhanced with this system through the elimination of vibrations, and velocities are consistent because of exact and repeatable gas-pressure release.



The S8000-E TAC's tactical-style stock features buttstock spacers that can be added or removed from in front of the recoil pad to adjust the airgun's length of pull (LOP). Fit can be further customized with the three-position cheek piece.

S8000-E TAC STANDARD FEATURES

VELOCITY: .177 Cal. up to 1200 fps muzzle velocity with alloy pellets (1000 fps with lead pellets), .22 Cal. up to 1000 fps muzzle velocity with alloy pellets (800 fps with lead pellets) ACTION: Powerful break-action Gas-Ram piston

TRIGGER: Two-stage adjustable SAFETY: Automatic ambidextrous FINISH: Black Synthetic

PROADAPTIVE CHECKERING

MULTI-GRIP SYSTEM: Interchangeable blue and orange embossed grips included SCOPE: Includes 3-9 x 40 mm adjustable objective scope (not factory mounted)

S8000-E TAC SUPPRESSED AIRGUN

ITEM Number	DESCRIPTION	MSRP
	S8000-E TAC .177 CAL, UP TO 1200 FPS*	
30433	Black Synthetic Combo with 3-9 x 40 Scope	\$249
	\$8000-E TAC .22 CAL, UP TO 1000 FPS*	
30434	Black Synthetic Combo with 3-9 x 40 Scope	\$249

COMMON SPECIFICATIONS: Caliber: .177 *Velocity: up to 1200 fps with alloy pellet (1000 fps with lead pellet) Caliber: .22 *Velocity: up to 1000 fps with alloy pellet (800 fps with lead pellet) Trigger: Two-stage adjustable Type of Scope: combos include 3-9 x 40 adjustable objective scope

FPS = FEET PER SECOND

SPECIFICATIONS AND PRICES SUBJECT TO CHANGE WITHOUT NOTICE.












As an optional accessory Stoeger Airguns offers folding bipod legs that can be easily attached to the Picatinny rails on the S8000-E TAC's forend. ITEM # 90429 MSRP \$35








Optional S8000-E TAC Sling Stud ITEM # 90430 MSRP \$10



Optional S8000-E TAC Sling ITEM # 90428 MSRP \$10



Dual-Stage Noise Reduction System™

The S² Suppressor utilizes the Dual-Stage Noise Reduction System™. This system combines the functions of an internal air-regulator ring with baffles that work in tandem to substantially reduce noise.

SUPPRESSOR SHROUD AFT-CHAMBER









S3000-C AIRGUN STANDARD FEATURES

VELOCITY: .177 Cal. up to 810 fps muzzle velocity with alloy pellets (660 fps with lead pellets)

ACTION: Powerful spring piston, break-action

TRIGGER: Double-stage, factory set **SAFETY:** Automatic ambidextrous FINISHES: Hardwood, Black synthetic PROADAPTIVE CHECKERING FRONT SIGHT: Red fiber-optic

REAR SIGHT: Fiber-optic, fully adjustable for elevation and windage SCOPE: Includes 4 x 32 mm scope (Combos ONLY; scope not factory mounted)

S3000-C COMPACT AIRGUN

it was made just for you. Aiming becomes almost instinctive. The fully adjustable rear sight and fiber-optic front sight offer a clear sight picture, even in low light. An ambidextrous safety accommodates both right- and left-handed shooters. The state-of-the-art recoil pad enhances shooting enjoyment. Combo includes a 4x32 mm scope.

DESCRIPTION	MSRP
S3000-C .177 CAL, UP TO 810 FPS*	
Hardwood Stock Combo with 4 x 32 Scope	\$149
Black Synthetic Stock Combo with 4 x 32 Scope	\$119
Black Synthetic Stock with Fiber-Optic Sights	\$99
	S3000-C .177 CAL, UP TO 810 FPS* Hardwood Stock Combo with 4 x 32 Scope Black Synthetic Stock Combo with 4 x 32 Scope

COMMON SPECIFICATIONS: Caliber: .177 *Velocity: up to 810 fps with alloy pellet (660 fps with lead pellet) Trigger: Two-stage adjustable Type of Scope: combos include 4 x 32 Scope

SPECIFICATIONS AND PRICES SUBJECT TO CHANGE WITHOUT NOTICE.



Automatic, ambidextrous safety includes ProAdaptive Checkering



Recoil-absorbing airgun buttpad with anti-slip ProAdaptive Checkering



Fiber-optic front sight with red insert

StoegerIndustries.com







XRD50 STANDARD FEATURES

VELOCITY: 430 FPS with a 50 Caliber rubber ball ACTION: Co2
TRIGGER: Ergonomic Trigger
SAFETY: Crossbolt
FINISH: Black synthetic

THRIDION CHECKERING FRONT SIGHT: Red fiber-optic REAR SIGHT: Rear notch sight

XRD50 LESS LETHAL SELF DEFENSE PISTOL

practice in your backyard or at home. The XRD50 is your go-to option for dependable performance and peace of mind, providing a fresh take

	ARBOO EEGO EETHAE GEEL BELENGE LIGIGE		- L
N	ITEM IUMBER	DESCRIPTION	MSRP
		XRD50 .50 CAL, UP TO 430 FPS*	
NEW	30465	Black Synthetic with Fiber-Optic Sights	\$129

COMMON SPECIFICATIONS: Caliber: .50 *Velocity: 430 FPS with a 50 Caliber rubber ball Trigger: Ergonomic trigger

FPS = FEET PER SECOND

on personal safety and training.

SPECIFICATIONS AND PRICES SUBJECT TO CHANGE WITHOUT NOTICE.



A concealed CO2 cartridge chamber, activated by a quick twist of the dial, allows the airgun to remain on standby with no CO2 loss.



Ergonomic hand grip featuring patented Thridon checkering for improved grip and handling.



High-contrast fiber-optic sight allows the shooter to be more accurate on target.

